


NOVA PRO DELUXE


Nova Pro Deluxe ensures maximum function, timeless design and outstanding convenience – from the slides to the add-on system.

QUALITY CERTIFICATE
LGA




Nova Pro Crystal Deluxe – this add-on system offers much room for individual creativity.

The system and elegant drawer sides together stand for stylish visual design, excellent quality and functionality. The choice of materials is unlimited.



Nova Pro Duowing – the double-wall design add-on for a linear, clear visual design.

The high-quality deluxe drawer side can be elegantly extended with Duowing. Simply mount onto the railing - done!



Nova Pro Deluxe – elegant drawer sides with numerous dividing and railing systems.

The system appeals through the understated, modern looks of the Deluxe drawer side and its unequalled utilisation of space. Nova Pro Deluxe - inspiring to the last detail.













NOVA PRO DELUXE












The elegant, comprehensive drawer range
for utmost comfort.

Product designation	Page
Nova Pro Crystal Deluxe pot drawer H90	14
Nova Pro Crystal Deluxe F8 inset drawer H90	16
Nova Pro Crystal Deluxe inset drawer H90	18
Nova Pro Crystal Deluxe F8 inset drawer H90	20
Nova Pro Crystal Deluxe inset drawer H90 with glass front	22
Nova Pro Crystal Deluxe inset drawer H90 with railing panel	24
Nova Pro Crystal Deluxe rectangular railing divider	26
Nova Pro Deluxe drawer H90	28
Nova Pro Deluxe F8 inset drawer H90	30
Nova Pro Deluxe inset drawer H90	32
Nova Pro Deluxe pot drawer H90 with round railing	34
Nova Pro Deluxe F8 inset drawer H90 with round railing	36
Nova Pro Deluxe inset drawer H90 with round railing	38
Nova Pro Deluxe pot drawer H90 with round railing and front support	40
Nova Pro Deluxe Duowing H90	42
Nova Pro Deluxe drawer H122	44
Nova Pro Deluxe pot drawer H122 with round railing	46
Nova Pro Deluxe pot drawer H122 with round railing and front support	48
Nova Pro Deluxe round railing divider	50
Nova Pro steel back panels	52
Nova Pro full extension slide 40/70 kg Soft-close	54
Nova Pro Tipmatic Plus full extension slide 40/70 kg	56

Technical information	58
Accessories	138
Assembly technology	142

NOVA PRO DELUXE

	Product description		Page
	**Nova Pro Crystal Deluxe pot drawer H90** • Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements • 3-dimensional front adjustment for perfect alignment • Tilt adjustment integrated in the drawer side		14
	**Nova Pro Crystal Deluxe F8 inset drawer H90** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		16
	**Nova Pro Crystal Deluxe inset drawer H90** • Front panel adapted to Crystal • Front panel can be fitted and removed without tools		18
	**Nova Pro Crystal Deluxe F8 inset drawer H90** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		20
	**Nova Pro Crystal Deluxe inset drawer H90 with glass front** • Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements • Front panel can be fitted and removed without tools		22
	**Nova Pro Crystal Deluxe inset drawer H90 with railing panel** • Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements • Front panel can be fitted and removed without tools		24
	**Nova Pro Crystal Deluxe rectangular railing divider** • Divider railing for Nova Pro Crystal • Very strong due to rectangular profile • Easy to fit by mounting on slide-in elements		26
	**Nova Pro Deluxe drawer H90** • Integrated height and side adjustment • Drawer front can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		28
	**Nova Pro Deluxe F8 inset drawer H90** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		30
	**Nova Pro Deluxe inset drawer H90** • Front panel can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		32
	**Nova Pro Deluxe pot drawer H90 with round railing** • Integrated height and side adjustment • Tilt angle adjustment using railing • Drawer front can be fitted and removed without tools		34


	Product description		Page
	**Nova Pro Deluxe F8 inset drawer H90 with round railing** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		36
	**Nova Pro Deluxe inset drawer H90 with round railing** • Front panel can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		38
	**Nova Pro Deluxe pot drawer H90 with round railing and front support** • Additional fixing points for optimal stability with high fronts • Integrated height and side adjustment • Tilt angle adjustment using railing • Drawer front can be fitted and removed without tools		40
	**Nova Pro Deluxe Duowing H90** • Fresh, modern drawer visual design • Linear, purist design • Closed, high drawer side walls • Can be easily retrofitted onto existing standard railings		42
	**Nova Pro Deluxe drawer H122** • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in the drawer side • Drawer front can be fitted and removed without tools		44
	**Nova Pro Deluxe pot drawer H122 with round railing** • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in drawer side • Drawer front can be fitted and removed without tools		46
	**Nova Pro Deluxe pot drawer H122 with round railing and front support** • Additional fixing points for optimal stability with high fronts • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in the drawer side • Drawer front can be fitted and removed without tools		48
	**Nova Pro Deluxe round railing divider** • Divider railing for round railing • Easy clip-on installation		50
	**Nova Pro steel back panels** • Steel back panels for Nova Pro drawers and pot drawers		52
	**Nova Pro full extension slide 40/70 kg Soft-close** • Fully synchronised slide technology without mid-way knock • Integrated Soft-close technology • Excellent running characteristics		54
	**Nova Pro Tipmatic Plus full extension slide 40/70 kg** • Mechanical opening system • Can be triggered anywhere on the surface of the front panel • Fully synchronised slide technology without mid-way knock • Reliable closing through catch function		56

NOVA PRO CRYSTAL DELUXE

Pot drawer H90




- Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Crystal Deluxe drawer sides H90, left/right




NL	Metallic	Pure White	
300	F100068855	F100076518	
350	F100070981	F100076521	
400	F100068858	F100076524	
450	F100068861	F100071850	
500	F100068864	F100076527	
550	F100070984	F100076530	
600	F100068867	F100071853	
650	F100068870	F100076533	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Fastening set consisting of: Items 3a, 3b, 3c, 3d



	Metallic	Pure White	
	F102071066	F102076538	

3a Cover cap for eccentric adjustment unit

	Metallic	Pure White	
	F102027330	F102076546	

3b Wooden back panel clip set left/right for glass and aluminium side element



	Metallic	Pure White	
	F102068877	F102076539	

3c Front fastening set, left/right for glass and aluminium side element




	Metallic	Pure White	
	F102068288	F102076536	

3d Installation hook




	For press fitting	For screw fixing	Expansion dowel
	F102062582	F102062651	F102117723

4 Slide-in element set made of aluminium, left/right



NL	Metallic	Pure White	
450	F102072414	F102072417	
500	F102072415	F102072418	
550	F102077908	F102077909	
650	F102072416	F102072419	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for glass side



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE


F8 inset drawer H90



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H90, left/right



NL	Metallic	Pure White	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027330	F102076546	

4 Cover caps for front panel profile



	Metallic	Pure White	
	F102101383	F102101382	

5 F8 front panel profile H90, S16 Front panel profile without holes




L	Metallic	Pure White	
600	F102101367	F102101366	
1200	F102101370	F102101369	

6 Installation hook set for screw fixing for H90



	Item No.		
	F102101584		




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for front panel



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE

Inset drawer H90




- Front panel adapted to Crystal
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H90, left/right**



NL	Metallic	Pure white	
300	**F100065003**	**F100065030**	
350	**F100065006**	**F100065033**	
400	**F100065009**	**F100065036**	
450	**F100065012**	**F100065039**	
500	**F100065015**	**F100065042**	
550	**F100065018**	**F100065045**	
600	**F100065021**	**F100065048**	
650	**F100065024**	**F100076500**	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
300	**F101063664**	–	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 **Cover cap for eccentric adjustment unit**




	Metallic	Pure white	
	F102027330	**F102076546**	

4 **Nova Pro Crystal front panel clip set H90, left/right**




	Metallic	Pure white	
	F102071988	**F102076544**	

5 **Nova Pro Crystal front panel profile, for cutting to length**



L	Metallic	Pure white	
1150	**F102072321**	**F102076543**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for front panel



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth

NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE


F8 inset drawer H90



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Crystal Deluxe drawer sides H90, left/right



NL	Metallic	Pure White	
300	F100068855	F100076518	
350	F100070981	F100076521	
400	F100068858	F100076524	
450	F100068861	F100071850	
500	F100068864	F100076527	
550	F100070984	F100076530	
600	F100068867	F100071853	
650	F100068870	F100076533	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Cover cap for eccentric adjustment unit



	Metallic	Pure White	
	F102027330	F102076546	

4 Cover caps for front panel profile



	Metallic	Pure White	
	F102101450	F102101449	

5 F8 front panel profile H186, S16 Front panel profile without holes




L	Metallic	Pure White	
600	F102101375	F102101374	
1200	F102101378	F102101377	

6 Installation hook set for screw fixing




	Item No.		
	F102101585		

7 Slide-in element set made of aluminium, left/right



NL	Metallic	Pure White	
450	F102072414	F102072417	
500	F102072415	F102072418	
550	F102077908	F102077909	
650	F102072416	F102072419	

8 Front fixing set, left/right for glass and aluminium side element




	Metallic	Pure White	
	F102068288	F102076536	

9 Wooden back panel clip, left/right for glass and aluminium side element



	Metallic	Pure White	
	F102068877	F102076539	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for front panel



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width
KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE

Inset drawer H90 with glass panel




- Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Crystal Deluxe drawer sides H90, left/right**



NL	Metallic	Pure white	
300	F100068855	F100076518	
350	F100070981	F100076521	
400	F100068858	F100076524	
450	F100068861	F100071850	
500	F100068864	F100076527	
550	F100070984	F100076530	
600	F100068867	F100071853	
650	F100068870	F100076533	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Cover cap for eccentric adjustment unit**



	Metallic	Pure white	
	F102027330	F102076546	

4 **Wooden back panel clip, left/right for glass and aluminium side element**



	Metallic	Pure white	
	F102068877	F102076539	

5 **Front fixing set, left/right for glass and aluminium side element**




	Metallic	Pure white	
	F102068288	F102076536	

6 **Panel clip set H186 for glass, left/right**




	Metallic	Pure white	
	F102076705	F102076704	

7 **Panel profile for cutting to length**




L	Metallic	Pure White	
1150	F102072321	F102076543	

8 **Slide-in element set made of aluminium, left/right**



NL	Metallic	Pure White	
450	F102072414	F102072417	
500	F102072415	F102072418	
550	F102077908	F102077909	
650	F102072416	F102072419	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Cutting dimensions for front panel





Cutting dimensions for glass side



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE

Inset drawer H90 with railing panel




- Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Crystal Deluxe drawer sides H90, left/right**



NL	Metallic	Pure white	
300	F100068855	F100076518	
350	F100070981	F100076521	
400	F100068858	F100076524	
450	F100068861	F100071850	
500	F100068864	F100076527	
550	F100070984	F100076530	
600	F100068867	F100071853	
650	F100068870	F100076533	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Cover cap for eccentric adjustment unit**



	Metallic	Pure white	
	F102027330	F102076546	

4 **Wooden back panel clip, left/right for glass and aluminium side element**




	Metallic	Pure white	
	F102068877	F102076539	

5 **Front fixing set, left/right for glass and aluminium side element**



	Metallic	Pure white	
	F102068288	F102076536	

6 **Slide-in element set made of aluminium, left/right**




NL	Metallic	Pure White	
450	F102072414	F102072417	
500	F102072415	F102072418	
550	F102077908	F102077909	
650	F102072416	F102072419	

7 **Panel clip set H186 for rectangular railing, left/right**



	Metallic	Pure white	
	F102071989	F102076545	

8 **Inset front panel for cutting to length**




NL	Metallic	Pure white	
1150	F102072321	F102076543	

9 **Divider railing tube for cutting to length**



NL	Metallic	Pure white	
1150	F102076663	F102076684	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Cutting dimensions for front and front rail





Cutting dimensions for glass side



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length


RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL DELUXE

Rectangular railing divider



- Divider railing for Nova Pro Crystal
- Easy to fit by mounting on slide-in elements
- Can be retrofitted at any time
- Very strong due to rectangular profile
- Tool-free adjustment
- Divider profile for cutting to length



ORDER INFORMATION

1 **Rectangular railing divider profile**




L	Metallic	Pure white	
1150	**F102**076**663**	**F102**076**684**	

2 **Clip for rectangular railing divider**



	Metallic	Pure white	
	F102070**935**	**F102**076**537**	




Crystal Deluxe pot drawer H90	14	Crystal Deluxe pot drawer H90	34		
Crystal Deluxe inset drawer H90	22				

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions



* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Cutting dimensions for rectangular railing divider profile




LEGEND

BB	Bottom panel width
FAS	Front overlay, side
FST	Front overlay
LWK	Inside cabinet width

NOVA PRO DELUXE
Drawer H90




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H90, left/right**



NL	Metallic	Pure White	
270	F100065000	F100065027	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Installation hook set for screw fixing for H90 consisting of: Items 3a, 3b**



	Metallic	Pure White	
	F102061675	F102076547	

3a **Installation hook for H90**




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

3b **Cover cap for eccentric adjustment unit**



	Metallic	Pure White	
	F102027330	F102076546	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO DELUXE


F8 inset drawer H90



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H90, left/right



NL	Metallic	Pure White	
300	**F100**065**003**	**F100**065**030**	
350	**F100**065**006**	**F100**065**033**	
400	**F100**065**009**	**F100**065**036**	
450	**F100**065**012**	**F100**065**039**	
500	**F100**065**015**	**F100**065**042**	
550	**F100**065**018**	**F100**065**045**	
600	**F100**065**021**	**F100**065**048**	
650	**F100**065**024**	**F100**076**500**	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	**F101**063**664**	–	
350	**F101**063**665**	–	
400	**F101**063**666**	–	
450	**F101**063**667**	**F101**063**711**	
500	**F101**063**668**	**F101**063**714**	
550	**F101**063**669**	**F101**063**717**	
600	**F101**063**670**	**F101**063**720**	
650	–	**F101**063**723**	

3 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027**330**	**F102**076**546**	

4 Cover caps for front panel profile



	Metallic	Pure White	
	F102101**383**	**F102**101**382**	

5 F8 front panel profile H90, S16 Front panel profile without holes




L	Metallic	Pure White	
600	**F102**101**367**	**F102**101**366**	
1200	**F102**101**370**	**F102**101**369**	

6 Installation hook set for screw fixing for H90



	Item No.		
	F102101**584**		




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for front panel



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO DELUXE

Inset drawer H90




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H90, left/right**



NL	Metallic	Pure white	
270	**F100065000**	**F100065027**	
300	**F100065003**	**F100065030**	
350	**F100065006**	**F100065033**	
400	**F100065009**	**F100065036**	
450	**F100065012**	**F100065039**	
500	**F100065015**	**F100065042**	
550	**F100065018**	**F100065045**	
600	**F100065021**	**F100065048**	
650	**F100065024**	**F100076500**	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
270	**F101063663**	–	
300	**F101063664**	–	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 **Cover cap for eccentric adjustment unit**




	Metallic	Pure white	
	F102027330	**F102076546**	

4 **Front panel clip set H90, left/right**




	Metallic	Pure white	
	F102066500	**F102077073**	

5 **Panel profile for cutting to length**



	Metallic	Pure white	
	F102051147	**F102051135**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Cutting dimensions for front panel



Fixing positions for full extension drawer slides



LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length


RW	Back panel
RWB	Width of back panel
RWH	Height of back panel
RWH	Height of back panel

NOVA PRO DELUXE

Pot drawer H90 with round railing




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Tilt angle adjustment using railing
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H90, left/right




NL	Metallic	Pure White	
270	F100065000	F100065027	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Round railing set for screw fixing, left/right



NL	Metallic	Pure White	
270	F102048537	F102100673	
300	F102045969	F102045962	
350	F102045970	F102045963	
400	F102045971	F102045964	
450	F102045972	F102045965	
500	F102045973	F102045966	
550	F102045974	F102045967	
600	F102045975	F102045968	
650	F102068000	F102077441	

4 Installation hook set for screw fixing for H90 consisting of: Items 4a, 4b



	Metallic	Pure White	
	F102061675	F102076547	

4a Installation hook for H90




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

4b Cover cap for eccentric adjustment unit



	Metallic	Pure White	
	F102027330	F102076546	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides



LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE


F8 inset drawer H90 with round railing



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H90, left/right




NL	Metallic	Pure White	
270	F100065000	F100065027	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Round railing set for screw fixing, left/right



L	Metallic	Pure White	
270	F102048537	F102100673	
300	F102045969	F102045962	
350	F102045970	F102045963	
400	F102045971	F102045964	
450	F102045972	F102045965	
500	F102045973	F102045966	
550	F102045974	F102045967	
600	F102045975	F102045968	
650	F102068000	F102077441	

4 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027330	F102076546	

5 Cover caps for front panel profile



	Metallic	Pure White	
	F102101450	F102101449	

6 F8 front panel profile H186, S16 Front panel profile without holes



NL	Metallic	Pure White	
600	F102101375	F102101374	
1200	F102101378	F102101377	

7 Installation hook set for screw fixing for H90




	Item No.		
	F102101584		

8 Railing bracket for screw fixing



	Item No.		
	F102101586		




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Cutting dimensions for panel profiles



Fixing positions for full extension drawer slides



LEGEND


B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE

Inset drawer H90 with round railing




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H90, left/right




NL	Metallic	Pure white	
270	F100065000	F100065027	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Round railing set for screw fixing, left/right



NL	Metallic	Pure white	
270	F102048537	F102100673	
300	F102045969	F102045962	
350	F102045970	F102045963	
400	F102045971	F102045964	
450	F102045972	F102045965	
500	F102045973	F102045966	
550	F102045974	F102045967	
600	F102045975	F102045968	
650	F102068000	F102077441	

4 Cover cap for eccentric adjustment unit




	Metallic	Pure white	
	F102027330	F102076546	

5 Front panel clip H154




	Metallic	Pure white	
	F102066502	F102077079	

6 Panel profile and round railing for S16/S19 cabinet side wall thickness



KB	Metallic	Pure white	
S16			
600	F102051094	F102051082	
900	F102051097	F102051085	
1200	F102051099	F102051087	
S19			
600	F102051118	F102051106	
900	F102051121	F102051109	
1200	F102051123	F102051111	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board




Cutting dimensions for panel profiles



Fixing positions for full extension drawer slides





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO DELUXE

Pot drawer H90 with round railing and front support




- Additional fixing points for optimal stability with high fronts
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Tilt angle adjustment using railing
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H90, left/right**




NL	Metallic	Pure White	
400	**F100065009**	**F100065036**	
450	**F100065012**	**F100065039**	
500	**F100065015**	**F100065042**	
550	**F100065018**	**F100065045**	
600	**F100065021**	**F100065048**	
650	**F100065024**	**F100076500**	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 **Round railing with front support consisting of: Items 3a, 3b, 3c, 3d**



NL	Metallic	Pure White	
400	**F102078789**	**F102078795**	
450	**F102078790**	**F102078796**	
500	**F102078791**	**F102078797**	
550	**F102078792**	**F102078798**	
600	**F102078793**	**F102078799**	
650	**F102078794**	**F102078800**	

4 **Installation hook set for screw fixing for H90 consisting of: Items 4a, 4b**



	Metallic	Pure White	
	F102061675	**F102076547**	

4a **Installation hook for H90**




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	**F102021153**	**F102021855**
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	**F102117720**	

4b **Cover cap for eccentric adjustment unit**



	Metallic	Pure White	
	F102027330	**F102076546**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Back panel installation dimensions





Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE

Pot drawer H90 with Duowing




- Fresh, modern drawer visual design
- Linear, purist design
- Closed, high drawer side walls
- Can be easily retrofitted with a back panel height of 185 mm
- Available in the colours Pure White and Metallic
- No visible plastic parts
- Easy installation without tools
- Tilt angle adjustment using railing
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H90, left/right**




NL	Metallic	Pure White	
270	F100065000	F100065027	
300	F100065003	F100065030	
350	F100065006	F100065033	
400	F100065009	F100065036	
450	F100065012	F100065039	
500	F100065015	F100065042	
550	F100065018	F100065045	
600	F100065021	F100065048	
650	F100065024	F100076500	

2 **Nova Pro full extension slide Soft-close left/right**




NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Round railing set for screw fixing, left/right consisting of 3a, 3b, 3c, 3d**



NL	Metallic	Pure White	
270	F102048537	F102100673	
300	F102045969	F102045962	
350	F102045970	F102045963	
400	F102045971	F102045964	
450	F102045972	F102045965	
500	F102045973	F102045966	
550	F102045974	F102045967	
600	F102045975	F102045968	
650	F102068000	F102077441	

4 **Nova Pro Deluxe Duowing set for a back panel height of 185 mm, left/right incl. plastic clips for round or square railing**




NL	Metallic	Pure White	
270	F102117275	F102117305	
300	F102117277	F102117307	
350	F102117279	F102117309	
400	F102117281	F102117311	
450	F102117283	F102117313	
500	F102117297	F102117315	
550	F102117299	F102117317	
600	F102117301	F102117319	
650	F102117303	F102117321	

5 **Installation hook for H90**



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

PLANNING DIMENSIONS


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Installation




Fixing positions for full extension slide





Euro screw Ø 6 x 13 mm



LEGEND


B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE

Drawer H122




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H122, left/right**



NL	Metallic	Pure White	
350	**F100077433**	**F100077434**	
400	**F100065156**	**F100076503**	
450	**F100065159**	**F100076506**	
500	**F100065162**	**F100076509**	
550	**F100065165**	**F100076512**	
600	**F100065168**	**F100076515**	
650	**F100077437**	**F100077438**	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 **Installation hook set for screw fixing for H122 consisting of: Items 3a, 3b**



	Metallic	Pure White	
	F102061675	**F102076547**	

3a **Installation hook for H122**




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	**F102021153**	**F102021855**
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	**F102117720**	

3b **Cover cap for eccentric adjustment unit**



	Metallic	Pure White	
	F102027330	**F102076546**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Back panel installation dimensions





Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE

Pot drawer H122 with round railing




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Deluxe drawer sides H122, left/right




NL	Metallic	Pure White	
350	**F100077433**	**F100077434**	
400	**F100065156**	**F100076503**	
450	**F100065159**	**F100076506**	
500	**F100065162**	**F100076509**	
550	**F100065165**	**F100076512**	
600	**F100065168**	**F100076515**	
650	**F100077437**	**F100077438**	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 Round railing set for screw fixing, left/right



NL	Metallic	Pure White	
350	**F102045970**	**F102045963**	
400	**F102045971**	**F102045964**	
450	**F102045972**	**F102045965**	
500	**F102045973**	**F102045966**	
550	**F102045974**	**F102045967**	
600	**F102045975**	**F102045968**	
650	**F102068000**	**F102077441**	

4 Installation hook set for screw fixing for H122 consisting of: Items 4a, 4b



	Metallic	Pure White	
	F102061675	**F102076547**	

4a Installation hook for H122




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	**F102021153**	**F102021855**
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	**F102117720**	

4b Cover cap for eccentric adjustment unit



	Metallic	Pure White	
	F102027330	**F102076546**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Back panel installation dimensions





Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO DELUXE

Pot drawer H122 with round railing and front support




- Additional fixing points for optimal stability with high fronts
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Deluxe drawer sides H122, left/right**




NL	Metallic	Pure White	
400	F100065156	F100076503	
450	F100065159	F100076506	
500	F100065162	F100076509	
550	F100065165	F100076512	
600	F100065168	F100076515	
650	F100077437	F100077438	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Round railing set with front support consisting of: Items 3a, 3b, 3c, 3d**



NL	Metallic	Pure White	
400	F102078789	F102078795	
450	F102078790	F102078796	
500	F102078791	F102078797	
550	F102078792	F102078798	
600	F102078793	F102078799	
650	F102078794	F102078800	

4 **Installation hook set for screw fixing for H122 consisting of: Items 4a, 4b**



	Metallic	Pure White	
	F102061675	F102076547	

4a **Installation hook for H122**




	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

4b **Cover cap for eccentric adjustment unit**



	Metallic	Pure White	
	F102027330	F102076546	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	56	Technical information	58	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Back panel installation dimensions





Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm






LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO DELUXE
Round railing divider



- Divider railing for round railing
- Easy clip-on installation
- Can be retrofitted at any time
- Tool-free adjustment



ORDER INFORMATION

1 Round railing divider, assembled



KB	Metallic	Pure white	
500	**F102**045**997**	**F102**045**988**	
600	**F102**045**999**	**F102**045**990**	
1000	**F102**046**016**	**F102**045**991**	

2 Round railing divider profile




KB	Metallic	Pure white	
300	**F102**027**608**	**F102**027**600**	
350	**F102**027**609**	**F102**027**601**	
400	**F102**027**610**	**F102**027**618**	
450	**F102**027**611**	**F102**027**603**	
500	**F102**027**612**	**F102**027**604**	
550	**F102**027**613**	**F102**027**605**	
600	**F102**027**614**	**F102**027**606**	
1000	**F102**027**615**	**F102**027**607**	
1200	**F102**045**032**	**F102**051**650**	

3 Clip for round railing divider



	Metallic	Pure white	
	F102065**339**	**F102**071**824**	




Nova Pro Deluxe pot drawer H90	14	Nova Pro Deluxe pot drawer H90	34	Technical information	58
Nova Pro Deluxe inset drawer H90	24	Nova Pro Deluxe pot drawer H122	46	Installation technology	142

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions



* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Cutting dimensions – round railing divider profile



LEGEND


BB	Bottom panel width
FAS	Front overlay, side
FST	Front overlay
KB	Cabinet width
LWK	Inside cabinet width
RWB	Width of back panel

NOVA PRO
Steel back panels



- Steel back panels for Nova Pro regular and pot drawers
- Available in Metallic and Pure White colours
- For 16 and 19 mm cabinet side thicknesses


Note:
Please note that with steel back panels, the bottom panels need to be cut to allow for 6 mm extra length.



STEEL BACK PANELS FOR REGULAR AND POT DRAWERS


H90

for Nova Pro drawer sides 90 mm high




H154

for Nova Pro drawer sides 90 mm high with railing



H186

for Nova Pro Crystal drawers H90



Nova Pro Crystal Deluxe H90	14	Nova Pro Deluxe pot drawer H90	34	Nova Pro Deluxe pot drawer H122	46
Nova Pro Deluxe H90	28	Nova Pro Deluxe H122	44		


Packaging units are not covered in this brochure; please enquire with your supplier

NOVA PRO

Full extension drawer 40/70 kg Soft-close




- Fully synchronised slide technology without mid-way knock
- Integrated Soft-close technology
- Excellent running characteristics
- Maximum lateral stability
- Minimal drawer deflection
- Suitable for all Nova Pro drawer sides
- Load capacity 40 kg and 70 kg




ORDER INFORMATION

1 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
270	**F101063663**	-	
300	**F101063664**	-	
350	**F101063665**	-	
400	**F101063666**	-	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	-	**F101063723**	




Nova Pro Crystal Deluxe	14	Nova Pro Sensomatic	149		
Nova Pro Deluxe	28				

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres


Installation dimensions



* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Fixing positions for full extension drawer slides





LEGEND


BB	Bottom panel width
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RWB	Width of back panel

NOVA PRO

Tipmatic Plus Full extension drawer slide 40/70 kg




- Mechanical opening system
- Can be triggered anywhere on the surface of the front
- Drawer extends fully to allow optimal access to contents
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Load capacity 40 kg and 70 kg
- Reliable closing through catch function
- Depth adjustment on both sides ensures precise front gap adjustment
- No drawer modification required




ORDER INFORMATION

1 Nova Pro full extension slide Tipmatic Plus left/right



NL	40 kg	70 kg
270	F101068290	-
300	F101068291	-
350	F101068292	-
400	F101068293	-
450	F101068294	-
500	F101068295	F101068301
550	F101068296	F101068302
600	-	F101068303
650	-	F101068304

2 Synchronisation unit




KB	16 mm	19 mm
450	F102068250	F102068262
600	F102068253	F102068264
900	F102068255	F102068266
1200	F102068257	F102068268

3 Locking unit, left/right



	Item No.
	F102068270

4 Synchronisation rod for cutting to length



KB	Item No.
1200	F102068272

5 Synchronisation lever




	Item No.
	F102068273

6 Front buffer for Tipmatic Plus (optional)



	Item No.
	F145068399




Nova Pro Crystal Deluxe	14
Nova Pro Deluxe	28

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm

Front gap adjustment




Note:
Please note that the installed front buffer will increase the front gap.


Synchronisation rod cutting dimension



Front buffer



Fixing positions for full extension drawer



LEGEND

BB	Bottom panel width	KV	Front edge of cabinet	RWB	Width of back panel
BO	Drill hole	LWK	Inside cabinet width		
FR	Front	MET	Minimum installation depth		
KB	Cabinet width	NL	Nominal length		

INSTALLATION INFORMATION


Installation dimensions for Nova Pro Deluxe

Installation advice




Installation dimension: 58 mm
Bottom panel thickness 16 mm
Full extension drawer fastening:
Euro screws Ø 6 x min. 13 mm
Drilling depth - 13 mm

Front hook:
Chipboard screw Ø 3.5 x min. 11 mm,
head Ø max. 7 mm

When using chipboard – depending on the resistance to screw withdrawal in compliance with DIN EN 320 (>1000 N) – we recommend fastening with standard Euro screws Ø 6 x 13 mm, as stated above. Fastening methods that deviate from specifications must be checked by the furniture manufacturer.




ADJUSTMENT

Height adjustment with eccentric screw	Side adjustment	Front tilt angle adjustment
		
• Height adjustment: slightly release screw 2 and move front to the desired height position using eccentric screw 3. Adjustment range ±2mm • Tighten screw 2	• Side adjustment: slightly push clamping lever 1 towards the back, lift front slightly and move across serration, adjustment range ±1.5 mm • Release clamping lever	• **New for drawer sides height 122** • Tilt adjustment is easily accessible on the inside of the drawer. Tilt angle adjustment is achieved by changing the position of the drawer.




Nova Pro Crystal Deluxe	14				
Nova Pro Deluxe	28				

Packaging units are not covered in this brochure; please enquire with your supplier

FRONT SUPPORT FASTENING

For screw fixing with tilt angle adjustment		
		

RAILING FASTENING

Screw fixing	Back panel clip	Divider railing
		

LEGEND


BL	Bottom panel length	L	Length		
FL	Slide length	NL	Nominal length		
FR	Front	NV	Tilt angle adjustment		
KV	Front edge of cabinet	RW	Back panel		



NOVA PRO CLASSIC


Nova Pro Classic is innovative technology with a timeless visual design.

QUALITY CERTIFICATE
LGA




Nova Pro Classic Crystal – a way to express your wealth of ideas.

Continue your design harmoniously from the outside inwards, for example with the material of the worktop in the kitchen, or create intentional, exciting material contrasts and surprising highlights.



Nova Pro Duowing – based on the Nova Pro Classic railing, Duowing can be retrofitted at any time.

With Duowing the Classic drawer side is harmoniously extended upwards, ensuring maximum space utilisation inside the drawer.



Nova Pro Classic – timeless with versatile dividing and railing systems

A fantastic system that creates a lot of space with its low installation depth and straight inside surfaces. The drawer sides appeal with their timeless visual design and the optimally matched railing and dividing systems.














NOVA PRO CLASSIC















The classic, comprehensive drawer range
for utmost comfort.

Product designation	Page
Nova Pro Crystal Classic pot drawer H90	64
Nova Pro Crystal Classic F8 inset drawer H90	66
Nova Pro Crystal Classic inset drawer H90	68
Nova Pro Crystal Classic F8 inset drawer H90 with rectangular railing	70
Nova Pro Crystal Classic inset drawer H90 with rectangular railing	72
Nova Pro Crystal Classic rectangular railing divider	74
Nova Pro Classic drawer H63	76
Nova Pro Classic drawer H90	78
Nova Pro Classic F8 inset drawer H90	80
Nova Pro Classic inset drawer H90	82
Nova Pro Classic pot drawer H90 with rectangular railing	84
Nova Pro Classic F8 inset drawer H90 with rectangular railing	86
Nova Pro Classic inset drawer H90 with rectangular railing	88
Nova Pro Classic pot drawer H90 with rectangular railing and front support	90
Nova Pro Classic Duowing H90	92
Nova Pro Classic drawer H122	94
Nova Pro Classic pot drawer H122 with rectangular railing	96
Nova Pro Classic pot drawer H122 with rectangular railing and front support	98
Nova Pro Classic rectangular railing divider	100
Nova Pro Classic steel back panels	102
Nova Pro full extension slide 40/70 kg Soft-close	104
Nova Pro Tipmatic Plus full extension slide 40/70 kg	106

Technical information	108
Accessories	138
Assembly technology	142

NOVA PRO CLASSIC

	Product description		Page
	**Nova Pro Crystal Classic pot drawer H90** • Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements • 3-dimensional front adjustment for perfect alignment • Tilt adjustment integrated in the drawer side		64
	**Nova Pro Crystal F8 Classic inset drawer H90** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		66
	**Nova Pro Crystal Classic inset drawer H90** • Front panel adapted to Crystal • Front panel can be fitted and removed without tools		68
	**Nova Pro Crystal Classic F8 inset drawer H90 with rectangular railing** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		70
	**Nova Pro Crystal Classic inset drawer H90 with rectangular railing** • Elegant add-on system integrated in the drawer side, free choice of material for slide-in elements • Front panel can be fitted and removed without tools		72
	**Nova Pro Crystal Classic rectangular railing cross divider** • Divider railing for Nova Pro Crystal • Very strong due to rectangular profile • Easy to fit by mounting on slide-in elements		74
	**Nova Pro Classic drawer H63** • Integrated height and side adjustment • Drawer front can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		76
	**Nova Pro Classic drawer H90** • Integrated height and side adjustment • Drawer front can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		78
	**Nova Pro Classic F8 inset drawer H90** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		80
	**Nova Pro Classic inset drawer H90** • Front panel can be fitted and removed without tools • Optimal use of storage space due to straight inside surfaces and narrow construction width		82
	**Nova Pro Classic pot drawer H90 with rectangular railing** • Elegant rectangular railing system • Integrated height and side adjustment • Tilt angle adjustment using railing • Drawer front can be fitted and removed without tools		84


	Product description		Page
	**Nova Pro Classic F8 inset drawer H90 with rectangular railing** • High-quality visual design due to the smooth inside and outside surfaces • Colour of the inset panel is identical with the colour of the drawer side • Use of GRASS dividing systems possible		86
	**Nova Pro Classic inset drawer H90 with rectangular railing** • Elegant rectangular railing system • Drawer front can be fitted and removed without tools		88
	**Nova Pro Classic pot drawer H90 with rectangular railing and front support** • Additional fixing points for optimal stability with high fronts • Integrated height and side adjustment • Tilt angle adjustment using railing • Drawer front can be fitted and removed without tools		90
	**Nova Pro Classic Duowing H90** • Fresh, modern drawer visual design • Linear, purist design • Closed, high drawer side walls • Can be easily retrofitted onto existing standard railings		92
	**Nova Pro Classic drawer H122** • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in the drawer side • Drawer front can be fitted and removed without tools		94
	**Nova Pro Classic pot drawer H122 with rectangular railing** • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in drawer side • Drawer front can be fitted and removed without tools		96
	**Nova Pro Classic pot drawer H122 with rectangular railing and front support** • Additional fixing points for optimal stability with high fronts • 3-dimensional front adjustment for perfect alignment • Tilt angle adjustment integrated in the drawer side • Drawer front can be fitted and removed without tools		98
	**Nova Pro Classic rectangular railing divider** • Longitudinal and cross dividers for pot drawers with rectangular railing • Easy clip-on installation		100
	**Nova Pro steel back panels** • Steel back panels for Nova Pro drawers and pot drawers		102
	**Nova Pro full extension slide 40/70 kg Soft-close** • Fully synchronised slide technology without mid-way knock • Integrated Soft-close technology • Excellent running characteristics		104
	**Nova Pro Tipmatic Plus full extension slide 40/70 kg** • Mechanical opening system • Can be triggered anywhere on the surface of the front panel • Fully synchronised slide technology without mid-way knock • Reliable closing through catch function		106

NOVA PRO CRYSTAL CLASSIC

Pot drawer H90




- Elegant add-on system, free choice of material for slide-in elements
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Crystal Classic drawer sides H90, left/right




NL	Metallic	Pure White
300	F100076410	F100076434
350	F100076413	F100076437
400	F100076416	F100076440
450	F100076419	F100076443
500	F100076422	F100076446
550	F100076425	F100076449
600	F100076428	F100076452
650	F100076431	F100076455

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg
300	F101063664	–
350	F101063665	–
400	F101063666	–
450	F101063667	F101063711
500	F101063668	F101063714
550	F101063669	F101063717
600	F101063670	F101063720
650	–	F101063723

3 Fastening set consisting of: Items 3a, 3b, 3c, 3d, 3e



	Metallic	Pure White
	F102077089	F102077090

3a Cover cap for eccentric adjustment unit

	Metallic	Pure White
	F102027330	F102076546

3b Wooden back panel clip set left/right for glass and aluminium side element



	Metallic	Pure White
	F102077087	F102077088

3c Front fastening set, left/right for glass and aluminium side element



	Metallic	Pure White
	F102077085	F102077086

3d Installation hook



	For press fitting	For screw fixing	Expansion dowel
	F102062582	F102062651	F102117723

3e Cover cap




	Metallic	Pure White
	F102023015	F102021856

4 Slide-in element, aluminium



NL	Metallic	Pure White
450	F102072414	F102072417
500	F102072415	F102072418
550	F102077908	F102077909
650	F102072416	F102072419




Crystal rectangular divider railing	74	Nova Pro Tipmatic Plus	106	Technical information	108
Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Slide-in element cutting dimensions



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CRYSTAL CLASSIC


F8 inset drawer H90



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right



NL	Metallic	Pure White	
300	**F100062889**	**F100062916**	
350	**F100062892**	**F100062919**	
400	**F100062895**	**F100062922**	
450	**F100062898**	**F100062925**	
500	**F100062901**	**F100062928**	
550	**F100062904**	**F100062931**	
600	**F100062907**	**F100062934**	
650	**F100062910**	**F100077082**	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	**F101063664**	–	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027330	**F102076546**	

4 Cover cap



	Metallic	Pure White	
	F102023015	**F102021856**	

5 F8 front panel profile H90, S16
Front panel profile without holes



L	Metallic	Pure White	
600	**F102101367**	**F102101366**	
1200	**F102101370**	**F102101369**	

6 Cover caps for front panel profile




	Metallic	Pure White	
	F102101383	**F102101382**	

7 Installation hook set for screw fixing for H90



	Item No.		
	F102101584		




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board




Cutting dimensions for front panel



Fixing positions for full extension drawer slides



Euro screw Ø 6 x 13 mm



LEGEND


B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CRYSTAL CLASSIC

Inset drawer H90




- Front panel adapted to Crystal
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Classic drawer sides H90, left/right**



NL	Metallic	Pure white	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Cover cap for eccentric adjustment unit**




	Metallic	Pure white	
	F102027330	F102076546	

4 **Cover cap**



	Metallic	Pure white	
	F102023015	F102021856	

5 **Nova Pro Crystal front panel profile, for cutting to length**




L	Metallic	Pure white	
1150	F102072321	F102076543	

6 **Nova Pro Crystal panel clip set H90, left/right**



	Metallic	Pure white	
	F102077668	F102077669	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Cutting dimensions for front panel



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CRYSTAL CLASSIC


F8 inset drawer H90 with rectangular railing



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Crystal Classic drawer sides H90, left/right



NL	Metallic	Pure White	
300	F100076410	F100076434	
350	F100076413	F100076437	
400	F100076416	F100076440	
450	F100076419	F100076443	
500	F100076422	F100076446	
550	F100076425	F100076449	
600	F100076428	F100076452	
650	F100076431	F100076455	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027330	F102076546	

4 Cover cap



	Metallic	Pure White	
	F102023015	F102021856	

5 F8 front panel profile H90, S16
Front panel profile without holes



L	Metallic	Pure White	
600	F102101375	F102101374	
1200	F102101378	F102101377	

6 Installation hook set for screw fixing




	Item No.		
	F102101585		

7 Cover caps for front panel profile



	Metallic	Pure White	
	F102101450	F102101449	

8 Front fixing set, left/right
for glass and aluminium side element




	Metallic	Pure White	
	F102077085	F102077086	

9 Wooden back panel clip, left/right
for glass and aluminium side element




	Metallic	Pure White	
	F102077087	F102077088	

10 Slide-in element, aluminium



NL	Metallic	Pure White	
450	F102072414	F102072417	
500	F102072415	F102072418	
550	F102077908	F102077909	
650	F102072416	F102072419	




Crystal rectangular divider railing	74	Nova Pro Tipmatic Plus	106	Technical information	108
Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Panel profile cutting dimensions



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CRYSTAL CLASSIC

Inset drawer H90 with rectangular railing




- Elegant add-on system, free choice of material for slide-in elements
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 Nova Pro Crystal Classic drawer sides H90, left/right



NL	Metallic	Pure white
300	F100076410	F100076434
350	F100076413	F100076437
400	F100076416	F100076440
450	F100076419	F100076443
500	F100076422	F100076446
550	F100076425	F100076449
600	F100076428	F100076452
650	F100076431	F100076455

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg
300	F101063664	–
350	F101063665	–
400	F101063666	–
450	F101063667	F101063711
500	F101063668	F101063714
550	F101063669	F101063717
600	F101063670	F101063720
650	–	F101063723

3 Cover cap for eccentric adjustment unit



Metallic	Pure white
F102027330	F102076546

4 Cover cap



Metallic	Pure white
F102023015	F102021856

5 Wooden back panel clip, left/right for glass and aluminium side element



Metallic	Pure white
F102077087	F102077088

6 Front fixing set, left/right for glass and aluminium side element




Metallic	Pure white
F102077085	F102077086

7 Nova Pro Crystal front panel clip set H186, left/right




Metallic	Pure white
F102077670	F102077671

8 Rectangular railing profile for cutting to length




L	Metallic	Pure white
1150	F102076663	F102076684

9 Nova Pro Crystal panel profile for cutting to length




L	Metallic	Pure white
1150	F102072321	F102076543

10 Slide-in element, aluminium



NL	Metallic	Pure white
450	F102072414	F102072417
500	F102072415	F102072418
550	F102077908	F102077909
650	F102072416	F102072419




Crystal rectangular divider railing	74	Nova Pro Tipmatic Plus	106	Technical information	108
Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Panel profile cutting dimensions



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CRYSTAL CLASSIC

Rectangular railing divider



- Divider railing for Nova Pro Crystal
- Easy to fit by mounting on slide-in elements
- Can be retrofitted at any time
- Very strong due to rectangular profile
- Tool-free adjustment
- Divider profile for cutting to length



ORDER INFORMATION

1 Rectangular railing divider profile




L	Metallic	Pure white	
1150	**F102**076**663**	**F102**076**684**	

2 Clip for rectangular railing divider profile



	Metallic	Pure white	
	F102070**935**	**F102**076**537**	




Nova Pro Crystal pot drawer	64	Nova Pro organising systems	111	Nova Pro Sensomatic	149
Nova Pro Crystal inset drawer	70	Nova Pro Tipmatic Plus	106	Technical information	108

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions



* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Cutting dimensions for rectangular railing divider profile




LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RRL	Length of railing tube
RW	Back panel
RWB	Width of back panel

NOVA PRO CLASSIC
Drawer H63




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Classic drawer sides H63, left/right**



NL	Metallic	Pure White	
400	**F100062814**	**F100062841**	
450	**F100062817**	**F100062844**	
500	**F100062820**	**F100062847**	
550	**F100062823**	**F100062850**	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	

3 **Installation hook set for screw fixing for H63**




	Item No.		
	F102029907		

3 **Installation hook for H63**



	For press fitting	For screw fixing	Expansion dowel
	F102038331	**F102038330**	**F102117716**




Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144
Nova Pro Sensomatic	149	Assembly technology	142		

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Back panel installation dimensions





Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm






LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC
Drawer H90




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right




NL	Metallic	Pure White	
270	F100062886	F100062913	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Installation hook set for screw fixing for H90 consisting of: Items 3a, 3b, 3c



	Metallic	Pure White	
	F102038094	F102076746	

3a Installation hook for H90



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

3b Cover cap for eccentric adjustment unit




	Metallic		
	F102027330		

3c Cover cap



	Metallic	Pure White	
	F102023015	F102021856	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC


F8 inset drawer H90



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right



NL	Metallic	Pure White	
300	**F100062889**	**F100062916**	
350	**F100062892**	**F100062919**	
400	**F100062895**	**F100062922**	
450	**F100062898**	**F100062925**	
500	**F100062901**	**F100062928**	
550	**F100062904**	**F100062931**	
600	**F100062907**	**F100062934**	
650	**F100062910**	**F100077082**	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	**F101063664**	–	
350	**F101063665**	–	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 Cover cap for eccentric adjustment unit




	Metallic	Pure White	
	F102027330	**F102076546**	

4 Cover cap



	Metallic	Pure White	
	F102023015	**F102021856**	

5 F8 front panel profile H90, S16 Front panel profile without holes



L	Metallic	Pure White	
600	**F102101367**	**F102101366**	
1200	**F102101370**	**F102101369**	

6 Cover caps for front panel profile




	Metallic	Pure White	
	F102101383	**F102101382**	

7 Installation hook set for screw fixing for H90



	Item No.		
	F102101584		




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board




Cutting dimensions for front panel



Fixing positions for full extension drawer slides



Euro screw Ø 6 x 13 mm




LEGEND

B	Bottom panel	KV	Front edge of cabinet	NL	Nominal length
BB	Bottom panel width	L	Length	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
IBB	Inset panel width	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC
Inset drawer H90




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right



NL	Metallic	Pure white	
270	F100062886	F100062913	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Cover cap



	Metallic	Pure white	
	F102023015	F102021856	

4 Cover cap for eccentric adjustment unit

	Metallic	Pure white	
	F102027330	F102076546	

5 Front panel clip set H90, left/right




	Metallic	Pure white	
	F102066500	F102077073	

6 Panel profile for cutting to length



L	Metallic	Pure white	
1083	F102051147	F102051135	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board




Cutting dimensions for front panel



Fixing positions for full extension drawer slides





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC

Pot drawer H90 with rectangular railing




- Elegant rectangular railing system
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Integrated height and side adjustment
- Tilt angle adjustment using railing
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Classic drawer sides H90, left/right**




NL	Metallic	Pure white	
270	F100062886	F100062913	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 **Nova Pro full extension slide Soft-close left/right**




NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Installation hook set for screw fixing for H90 consisting of: items 3a, 3b, 3c**




	Metallic	Pure white	
	F102038094	F102076746	

4 **Rectangular railing set, left/right consisting of: items 4a, 4b, 4c, 4d**



NL	Metallic	Pure White	
270	F102100674	F102100675	
300	F102045858	F102045851	
350	F102045859	F102045852	
400	F102045860	F102045853	
450	F102045861	F102045854	
500	F102045862	F102045855	
550	F102045863	F102045856	
600	F102045864	F102045857	
650	F102066918	F102077443	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board




Railing tilt angle adjustment



Fixing positions for full extension drawer slides





LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC


F8 inset drawer H90 with rectangular railing



- Colour-coordinated aluminium front panel for cutting to length
- High-quality visual design due to the smooth inside and outside surfaces
- Same dimensions as for standard drawers (inside depth)
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Bottom panel machining not required
- Width of bottom and back panel is the same


Important information:

- Width range: 600 mm and 1200 mm; customer can cut intermediate widths as required
- Front-bottom connector recommended from width of 600 mm (see accessories)




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right



NL	Metallic	Pure White
300	F100062889	F100062916
350	F100062892	F100062919
400	F100062895	F100062922
450	F100062898	F100062925
500	F100062901	F100062928
550	F100062904	F100062931
600	F100062907	F100062934
650	F100062910	F100077082

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg
300	F101063664	–
350	F101063665	–
400	F101063666	–
450	F101063667	F101063711
500	F101063668	F101063714
550	F101063669	F101063717
600	F101063670	F101063720
650	–	F101063723

3 Cover cap




	Metallic	Pure White
	F102023015	F102021856

4 Cover cap for eccentric adjustment unit



	Metallic	Pure White
	F102027330	F102076546

5 F8 front panel profile H186, S16 Front panel profile without holes



L	Metallic	Pure White
600	F102101375	F102101374
1200	F102101378	F102101377

6 Cover caps for front panel profile



	Metallic	Pure White
	F102101450	F102101449

7 Installation hook set for screw fixing for H90




	Item No.	
	F102101584	


8 Railing bracket for screw fixing



	Item No.	
	F102101587	

9 Rectangular railing set, left/right
see page 88 (Pos. 8)






Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board




Panel profile cutting dimensions




Fixing positions for full extension drawer slides



Euro screw Ø 6 x 13 mm





LEGEND

B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC

Inset drawer H90 with rectangular railing




- Elegant rectangular railing system
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- Front panel can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right



NL	Metallic	Pure white	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 Nova Pro full extension slide Soft-close left/right



NL	40 kg	70 kg	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Cover cap



	Metallic	Pure white	
	F102023015	F102021856	

4 Cover cap for eccentric adjustment unit




	Metallic	Pure white	
	F102027330	F102076546	

5 Panel clip for rectangular railing




	Metallic	Pure white	
	F102066501	F102077076	

6 Panel profile for cutting to length




L	Metallic	Pure white	
1083	F102051147	F102051135	

7 Rectangular railing profile for front panel for cutting to length




L	Metallic	Pure white	
1150	F102076663	F102076684	

8 Rectangular railing set, left/right



NL	Metallic	Pure White	
300	F102045858	F102045851	
350	F102045859	F102045852	
400	F102045860	F102045853	
450	F102045861	F102045854	
500	F102045862	F102045855	
550	F102045863	F102045856	
600	F102045864	F102045857	
650	F102066918	F102077443	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Panel profile cutting dimensions



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
IBB	Inset panel width

KV	Front edge of cabinet
L	Length
LWK	Inside cabinet width
MET	Minimum installation depth


NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC

Pot drawer H90 with rectangular railing and front support




- Additional fixing points for optimal stability with high fronts
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- Integrated height and side adjustment
- Tilt angle adjustment using railing
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right




NL	Metallic	Pure White	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 Nova Pro full extension slide Soft-close left/right




NL	40 kg	70 kg	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Rectangular railing set with front support



NL	Metallic	Pure White	
400	F102059042	F102059613	
450	F102048034	F102048030	
500	F102048035	F102048031	
550	F102048036	F102048032	
600	F102048037	F102048033	
650	F102076659	F102076660	

4 Installation hook set for screw fixing for H90 consisting of: Items 4a, 4b, 4c



	Metallic	Pure White	
	F102038094	F102076746	

4a Installation hook for H90



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

4b Cover cap for eccentric adjustment unit




	Metallic		
	F102027330		

4c Cover cap



	Metallic	Pure White	
	F102023015	F102021856	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Railing tilt angle adjustment



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC

Pot drawer H90 with Duowing




- Fresh, modern drawer visual design
- Linear, purist design
- Closed, high drawer side walls
- Can be easily retrofitted with a back panel height of 185 mm
- Availalbe in the colours Pure White and Metallic
- No visible plastic parts
- Easy installation without tools
- Tilt angle adjustment using railing
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H90, left/right




NL	Metallic	Pure White	
270	F100062886	F100062913	
300	F100062889	F100062916	
350	F100062892	F100062919	
400	F100062895	F100062922	
450	F100062898	F100062925	
500	F100062901	F100062928	
550	F100062904	F100062931	
600	F100062907	F100062934	
650	F100062910	F100077082	

2 Nova Pro full extension slide Soft-close left/right




NL	40 kg	70 kg	
270	F101063663	–	
300	F101063664	–	
350	F101063665	–	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 Rectangular railing set, left/right consisting of: items 3a, 3b, 3c, 3d



NL	Metallic	Pure White	
270	F102023017	F102100675	
300	F102045858	F102045851	
350	F102045859	F102045852	
400	F102045860	F102045853	
450	F102045861	F102045854	
500	F102045862	F102045855	
550	F102045863	F102045856	
600	F102045864	F102045857	
650	F102066918	F102077443	

4 Nova Pro Classic Duowing set for a back panel height of 185 mm, left/right incl. plastic clips for square and round railings




NL	Metallic	Pure White	
270	F102117088	F102117106	
300	F102117090	F102117108	
350	F102117092	F102117110	
400	F102117094	F102117112	
450	F102117096	F102117117	
500	F102117098	F102117142	
550	F102117100	F102117146	
600	F102117102	F102117148	
650	F102117104	F102117150	

5 Installation hook for H90



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

PLANNING DIMENSIONS


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions




Cutting dimensions for 16 mm board



Installation



Fixing positions for full extension slide




LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC
Drawer H122




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 **Nova Pro Classic drawer sides H122, left/right**




NL	Metallic	Pure White	
400	F100062967	F100065120	
450	F100062970	F100065123	
500	F100062973	F100065126	
550	F100062976	F100065129	
600	F100062979	F100065132	
650	F100077439	F100077440	

2 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
400	F101063666	–	
450	F101063667	F101063711	
500	F101063668	F101063714	
550	F101063669	F101063717	
600	F101063670	F101063720	
650	–	F101063723	

3 **Installation hook set for screw fixing for H122 consisting of: Items 3a, 3b, 3c**



	Metallic	Pure White	
	F102038094	F102076746	

3a **Installation hook for H122**



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	F102021153	F102021855
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	F102117720	

3b **Cover cap for eccentric adjustment unit**




	Metallic		
	F102027330		

3c **Cover cap**



	Metallic	Pure White	
	F102023015	F102021856	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board



Fixing positions for full extension drawer slides



LEGEND


B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC

Pot drawer H122 with rectangular railing




- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimal drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow construction width




ORDER INFORMATION

1 **Nova Pro Classic drawer sides H122, left/right**




NL	Metallic	Pure white	
400	**F100062967**	**F100065120**	
450	**F100062970**	**F100065123**	
500	**F100062973**	**F100065126**	
550	**F100062976**	**F100065129**	
600	**F100062979**	**F100065132**	
650	**F100077439**	**F100077440**	

2 **Nova Pro full extension slide Soft-close left/right**




NL	40 kg	70 kg	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 **Installation hook set for screw fixing for H122 consisting of: items 3a, 3b, 3c**




	Metallic	Pure white	
	F102038094	**F102076746**	

4 **Rectangular railing set, left/right consisting of: items 4a, 4b, 4c, 4d**



NL	Metallic	Pure White	
400	**F102045860**	**F102045853**	
450	**F102045861**	**F102045854**	
500	**F102045862**	**F102045855**	
550	**F102045863**	**F102045856**	
600	**F102045864**	**F102045857**	
650	**F102066918**	**F102077443**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Railing tilt angle adjustment



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm





LEGEND


B	Bottom panel
BB	Bottom panel width
BL	Bottom panel length
FAS	Front overlay, side
FST	Front overlay
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RW	Back panel
RWB	Width of back panel
RWH	Height of back panel

NOVA PRO CLASSIC

Pot drawer H122 with rectangular railing and front support




- Additional fixing points for optimal stability with high fronts
- Fully synchronised slide technology without mid-way knock
- Excellent running characteristics
- Maximum stability
- Minimum drawer deflection
- 3-dimensional front adjustment for perfect alignment
- Tilt angle adjustment integrated in drawer side
- Drawer front can be fitted and removed without tools
- Bottom panel machining not required
- Width of bottom and back panel is the same
- Optimal use of storage space due to straight inside surfaces and narrow installation width




ORDER INFORMATION

1 Nova Pro Classic drawer sides H122, left/right




NL	Metallic	Pure White	
400	**F100062967**	**F100065120**	
450	**F100062970**	**F100065123**	
500	**F100062973**	**F100065126**	
550	**F100062976**	**F100065129**	
600	**F100062979**	**F100065132**	
650	**F100077439**	**F100077440**	

2 Nova Pro full extension slide Soft-close left/right




NL	40 kg	70 kg	
400	**F101063666**	–	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	–	**F101063723**	

3 Rectangular railing set with front support



NL	Metallic	Pure White	
400	**F102059042**	**F102059613**	
450	**F102048034**	**F102048030**	
500	**F102048035**	**F102048031**	
550	**F102048036**	**F102048032**	
600	**F102048037**	**F102048033**	
650	**F102076659**	**F102076660**	

4 Installation hook set for screw fixing for H122 consisting of: Items 4a, 4b, 4c



	Metallic	Pure White	
	F102038094	**F102076746**	

4a Installation hook for H122



	For press fitting 32 mm	For press fitting 50 mm	For screw fixing
	F102021854	**F102021153**	**F102021855**
	Expansion dowel 32 mm	Expansion dowel 50 mm	
	F102117719	**F102117720**	

4b Cover cap for eccentric adjustment unit




	Metallic		
	F102027330		

4c Cover cap



	Metallic	Pure White	
	F102023015	**F102021856**	




Nova Pro organising systems	111	Nova Pro Sensomatic	149	Assembly technology	142
Nova Pro Tipmatic Plus	106	Technical information	108	Assembly aids	144

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm


Back panel installation dimensions



Cutting dimensions for 16 mm board





Railing tilt angle adjustment



Fixing positions for full extension drawer slides

Euro screw Ø 6 x 13 mm






LEGEND

B	Bottom panel	FST	Front overlay	NL	Nominal length
BB	Bottom panel width	KV	Front edge of cabinet	RW	Back panel
BL	Bottom panel length	LWK	Inside cabinet width	RWB	Width of back panel
FAS	Front overlay, side	MET	Minimum installation depth	RWH	Height of back panel

NOVA PRO CLASSIC
Rectangular railing divider




- Longitudinal and cross dividers for pot drawers with rectangular railing
- Easy clip-on installation
- Can be retrofitted at any time
- Tool-free adjustment



ORDER INFORMATION

1 **Rectangular railing divider, assembled**



KB	Metallic	Pure White	
1150	**F102**078**838**	**F102**078**839**	

2 **Divider clip for rectangular railing**




	Metallic	Pure White	
	F145038**521**	**F145**096**770**	

3 **Holder for rectangular railing, longitudinal divider**



Colour	Press fitting	Screw fixing	
Pure White	**F145**097**478**	**F145**097**480**	
Metallic	–	**F145**038**513**	




Nova Pro Classic pot drawer H90	84	Nova Pro pot drawer H122	96		
Nova Pro Classic inset drawer H90	86	Nova Pro organising systems	111		

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Holder for longitudinal divider front or back panel



Cutting dimensions for rectangular railing divider profile



LEGEND


BB	Bottom panel width
FAS	Front overlay, side
FST	Front overlay
KB	Cabinet width
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RWB	Width of back panel

NOVA PRO
Steel back panels



- Steel back panels for Nova Pro regular and pot drawers
- Available in Metallic and Pure White colours
- For 16 and 19 mm cabinet side thicknesses


Note:
Please note that with steel back panels, the bottom panels need to be cut to allow for 6 mm extra length.



STEEL BACK PANELS FOR REGULAR AND POT DRAWERS


H90

for Nova Pro drawer sides 90 mm high




H154

for Nova Pro drawer sides 90 mm high with railing



H186

for Nova Pro Crystal drawers H90



Nova Pro Classic H90	78	Nova Pro Classic pot drawer H90	90	Nova Pro Classic pot drawer H122	96
Nova Pro Classic pot drawer H90	84	Nova Pro Classic H122	94	Nova Pro Crystal Classic H90	64


Packaging units are not covered in this brochure; please enquire with your supplier

NOVA PRO

Full extension drawer 40/70 kg Soft-close




- Fully synchronised slide technology without mid-way knock
- Integrated Soft-close technology
- Excellent running characteristics
- Maximum lateral stability
- Minimal drawer deflection
- Suitable for all Nova Pro drawer sides
- Load capacity 40 kg and 70 kg




ORDER INFORMATION

1 **Nova Pro full extension slide Soft-close left/right**



NL	40 kg	70 kg	
270	**F101063663**	-	
300	**F101063664**	-	
350	**F101063665**	-	
400	**F101063666**	-	
450	**F101063667**	**F101063711**	
500	**F101063668**	**F101063714**	
550	**F101063669**	**F101063717**	
600	**F101063670**	**F101063720**	
650	-	**F101063723**	




Nova Pro Crystal Classic	64	Nova Pro Sensomatic	149		
Nova Pro Classic	76				

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres


Installation dimensions



* Minimum dimension: 49.5 mm / Tipmatic Soft-close: 58 mm

Fixing positions for full extension drawer slides





LEGEND


BB	Bottom panel width
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RWB	Width of back panel

NOVA PRO

Tipmatic Plus Full extension drawer slide 40/70 kg




- Mechanical opening system
- Can be triggered anywhere on the surface of the front
- Drawer extends fully to allow optimal access to contents
- Fully synchronised slide technology without mid-way knock
- Reliable closing through catch function
- Excellent running characteristics
- Maximum lateral stability
- Minimal drawer deflection
- Suitable for all Nova Pro drawer sides
- Load capacity 40 kg and 70 kg




ORDER INFORMATION

1 **Nova Pro full extension slide Tipmatic Plus left/right**



NL	40 kg	70 kg	
270	F101068**290**	-	
300	F101068**291**	-	
350	F101068**292**	-	
400	F101068**293**	-	
450	F101068**294**	-	
500	F101068**295**	F101068**301**	
550	F101068**296**	F101068**302**	
600	-	F101068**303**	
650	-	F101068**304**	

2 **Synchronisation unit**




KB	16 mm	19 mm	
450	F102068**250**	F102068**262**	
600	F102068**253**	F102068**264**	
900	F102068**255**	F102068**266**	
1200	F102068**257**	F102068**268**	

3 **Locking unit, left/right**



	Item No.		
	F102068**270**		

4 **Synchronisation rod for cutting to length**



KB	Item No.		
1200	F102068**272**		

5 **Synchronisation lever**




	Item No.		
	F102068**273**		

6 **Front buffer for Tipmatic Plus (optional)**



	Item No.		
	F145068**399**		




Nova Pro Crystal Classic	64
Nova Pro Classic	76

Packaging units are not covered in this brochure; please enquire with your supplier

INSTALLATION INFORMATION


All dimensions in millimetres

Front panel installation dimensions




* Minimum dimension: 49.5 mm

Front gap adjustment




Note:
please note that the installed front buffer will increase the front gap.


Synchronisation rod cutting dimension



Front buffer



Fixing positions for full extension drawer



LEGEND

BB	Bottom panel width
BO	Drill hole
FR	Front
KB	Cabinet width
KV	Front edge of cabinet
LWK	Inside cabinet width
MET	Minimum installation depth
NL	Nominal length
RWB	Width of back panel

NOVA PRO CLASSIC
Technical information


INSTALLATION INFORMATION

Installation dimensions for Nova Pro Deluxe and Classic




Installation advice

Installation dimension: 58 mm
Bottom panel thickness 16 mm
Full extension drawer fastening:
Euro screws Ø 6 x min. 13 mm
Drilling depth - 13 mm



Front hook:
Chipboard screw Ø 3.5 x min. 11 mm,
head Ø max. 7 mm



ADJUSTMENT

Height adjustment with eccentric screw	Side adjustment	Front tilt angle adjustment
		
• Height adjustment: slightly release screw 2 and move front to the desired height position using eccentric screw 3. Adjustment range ±2 mm • Tighten screw 2.	• Side adjustment: slightly push clamping lever 1 towards the back, lift front slightly and move across serration, adjustment range ±1.5 mm • Release clamping lever.	• **New for drawer sides height 122** • Tilt adjustment is easily accessible on the inside of the drawer. Tilt angle adjustment is achieved by changing the position of the drawer.




FRONT SUPPORT FASTENING

For screw fixing with tilt angle adjustment	With dowel with tilt angle adjustment	
		



Nova Pro Crystal Classic	64				
Nova Pro Classic	76				

Packaging units are not covered in this brochure; please enquire with your supplier



RAILING FASTENING WITH TILT ANGLE ADJUSTMENT FOR PRESS FITTING

Front	Back panel	Rectangular railing divider
		

RAILING FASTENING WITH TILT ANGLE ADJUSTMENT FOR SCREW FIXING

Front	Back panel	
		

LONGITUDINAL RECTANGULAR RAILING DIVIDER

Screw fixing	Press fitting	
		

LEGEND

BL	Bottom panel length	L	Length		
FL	Slide length	NL	Nominal length		
FR	Front	NV	Tilt angle adjustment		
KV	Front edge of cabinet	RW	Back panel		